D 26/13
1919

D 26/13

X/X5

a o x

~~N22°E 14°~~
N5°E 22°
N35°E 35°
N22°E 25°
N7°E 9°

~~E 5° N 20~~
N27°E 24°
E 10° N 14°
NE 12°.
På toppen crossbedded ...
E 10° N 15°
N25°E 12.
N28°E 13

N27°E 8.
N25° ... grål st.
N8° ... Röd
N14°W 9° "
N35°E 9°

N10°E 18°
E 10° S 38.
N14°E 15° Bänken
N22°E 10° Röd sk. St. bänken
E 24° N 28
N 14° W 22
~~N 10° E 7°~~
S 15° E 10.

0002

+8.0
+1.6

"St."

12.75
11
85
95
1.78

0003

B = Diamond bor.
H.B = Hand bor.
O.B = German bor.
B_5 and HB_7 position unknown.

Shantung
mars 1919.

Några få anteckningar
fr. de tre första dagarne
i en annan bok.

Har-Tjin-Ko. ningliers
namn.

Tsch-shan medelhafsu
E 42° S 41°.

18 obs.

1.

11/3 Diorite 21   1.   0004

Limest. 8

Hematite 4.

10/3. I denna tunnel fing jag



Själf är [illegible] [illegible] men
en liten [illegible] hög vid
mynningen [illegible] antyda
att någon [illegible] blivit
användt. 3.

Några 10-tal smalen MWN
hämma en naturlig kontakt
vinnda ~~grund~~ dioxide
diarester i kontakt med
li. Sagan antingen fem
smalen.
Samma några 10-tal
m. en indium adits
över några gamla
smalenblots. Ther
kontakten ingen smalen.
Ytterligare en
stegvisa i samma
riktning av Tr-ark.
Kontakten, ingen smalen.

Vidare i samma riktning
av Branch Kollektion, därvid
antändes ej fullt fickan.
Vidare vid 2 åra
pers ~~tr~~ämnen Tranch

linealtorna med spridt
tillrika block af ~~[illegible]~~
andra med materialet.
Återgick tan stora
tunneln.
Nära denna på andra
sidan en krutaktö. No ore.

I ~~de~~ passsänkan ESE
fr. Sui-Puo-Shan i väst=
rängsjöden ... af sina
underbitar o. block (hematit)
I den lägsta delen en
rotten cirkel med sänder
hamnat deta ~~[illegible]~~
~~[illegible]~~. material troligast.
Här en bastionformig sluten=
ng 25 est. lång, 4 est. bred
1 m. hög, omedelbart sina
bitar.

I tinu berget väst Sui. Pao
Shan två skärpningar
på kontakten, den ena
ingen malm, den
andra litet rödbrun af
hematit limonit och
siderit.

I pass-staden W för
Yü-Huang-Shan. i back
foran en blottning visande
östra fr. hematite
öfverlagrad af limonitmo.
Närmast under ~~li~~ malmen
en hvit jordig massa
fundolitet flek. Kalksinter.
Längre ner normal stellen
diorit.

Hade tar intill en japans.
borrhål 39 m. djup, på
28 m 0.70 m. ore!

Ett annat borrhål 64 m.
ingen ve[illegible], som i diorit.

I ravinen vid pumpstationen
ställvis om röda leran
m. fläcklar nästan uppsyo
tin smaragdgrön, så andra
Typiskt går lösa ända ner
till botten. Detta synes tyda
på att här som i Uranan
aldrig underminits i leran
som sådan påfyllts af
b[illegible].

Yngve S. en fjärdedel har
funnit en tertiär skalle
i röda leran.

Film 1. Tieh-shan omkring(?) visande stora block af hematite(?). Jordrymning(?).

—Liten kalkstenskulle(?)
li F S 30°E 55°

På norra sidan af denna kulle kontakt endast få m. jordtäckt mellan li och d:a. Kalkstenen marmoriserad (tjus ~~rod~~ pink) men ingen malm. Täta härintill Mineralfyllnader(?) af gulbrunt kort(?). ämne(?) (sideriter?)

Samma kulle mot SE
li E 24°S 31°

13/3 [illegible] (4)

[illegible]

af gravel [illegible] rød ler
fra [illegible]
hvorunder [illegible] Blokken
hvis [illegible]
[illegible].

14/3. Section 1 (med foto) Stone bridge - ruin E om Hangshan mountain.

14/3 Cirka 150 m. nedanför föreg. profil



14/3.



13/3.



16/3. Glastillverkningen i Poshan

Silicea: brutits av jorden, [illegible] fr. Tan-Chuan [illegible] ([illegible]-hsien).

Flourite: fr. [illegible] 20 li fr. Poshan, flusspat [illegible] blandas 1 del på 10 delar af silica-pulver.

Soda: fr. 新城, men ock 30 li N. fr. Chang-Tien o.s.v.

[illegible]
[illegible]
[illegible]
figure.



Heishan

4/9.

På samma [illegible] fr. Tan [illegible]

observerades mera denna

station vid Nan-Ting r. st.

söder [illegible] skiffrar

[illegible] [illegible] e. s.

Hela raden S. om Nan Ting

i riktning SSE [illegible]

[illegible] Nan-Kingslaan

[illegible] [illegible], bild

Nan-Ting [illegible] [illegible]

[illegible]

materialet i hvilket fyndet gjordes är delvis gulaktigt, delvis grått [illegible] inlagringar med vattensinter. Några [illegible] ben och tänder [illegible] anmärkningsvärt har [illegible] [illegible] [illegible] [illegible].

Fyndplatsen är 8 li SSE fr. Chin-Ling-Chen sta.

Mountain: 李家山

District: [illegible]

Fyndplatsen är belägen i en ravin [illegible] på norra [illegible] ~~Tille~~ lilla [illegible]



19

17/3. Besökte [illegible] [illegible] [illegible]
by / [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible],
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] ~~[illegible]~~ [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible], [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible].
På [illegible] [illegible] [illegible] [illegible] [illegible]
~~[illegible]~~ [illegible] [illegible] [illegible]. [illegible],
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] 11 [illegible]
[illegible]. [illegible] [illegible]
[illegible] [illegible] [illegible] – [illegible]

[illegible], två hela [illegible]
[illegible] att [illegible]
[illegible] o. [illegible].
dag [illegible].
[illegible] till [illegible]
en [illegible], med [illegible]
[illegible] [illegible],
[illegible] [illegible]
[illegible] [illegible]

18/3. [illegible] kl. 11 [illegible] f. [illegible]
[illegible] en [illegible] med [illegible]
med [illegible] f. [illegible] till
[illegible] [illegible] (11–10 [illegible])
[illegible] [illegible] [illegible]
[illegible] men i [illegible]
[illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible]. [illegible]
[illegible] i [illegible]
[illegible], [illegible]

med drusor af calcit i
kvartsgångar. Hvarken skiffer
och plattor funnos mycket
nära i dessa kalkberghöjder
[illegible] [illegible] [illegible]
lera.

Sprickande nordsluttningen
af Tian Shan och Yin-Hsiang-
shan.

Tian-Shan östligaste delen
en kulle af diorit

Längre åt vester i nord-
sluttningen af Tian-Shan
längst ner i sluttningen
fann utbrotter af diorit,
i en [illegible] [illegible]. [illegible]
antyder [illegible] [illegible], ej mer
än breda.

I ravinen [påträffas] mellan Tuan-shan o Yü-Hung-Shan blottningar af mycket diorit.
I närmaste delen af dalen å Yü-Hung-Shan [illegible] [illegible] [illegible] [illegible] af li [illegible] [illegible] [illegible] af diorit som [illegible] breck af diorit visande [illegible] di[illegible] [illegible] [illegible]. Kontakten [illegible] delvis täckt af [illegible] [illegible] [illegible]. Ej [illegible] [illegible] [illegible] af [illegible].

1. En stor tjock l. block af lagrad hornsten F. E 35° S 35° L. 3.3 m. Br. 2.4 m.

2 Tyskarnas skiss 2. På NW norra sidan stora ~~[illegible]~~ kalkstensblock af [illegible] [illegible] [illegible], [illegible] [illegible]. [illegible]. På [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible], [illegible] [illegible] [illegible] [illegible] O.F. [illegible] [illegible] [illegible].

Kalkstenen i [illegible] [illegible] [illegible] e. t. Strykning S 40° E 45°.

3. En grupp af kalkstensoutcrops en stup E 22° S. 20°. En annan outcrop SE ung. (komp. gälden!) 40°. Nästa SE 45°-50°. Tredje SE 35. Nät. E 15° N 14°.

0027

Nutn S 35° E / 15° [illegible] [illegible] [illegible]

gipsen [illegible] inclinera.

Horisonten förskj. Sänkan vid 2dra förkastningen 45 - 50 cm.

[illegible] [illegible] [illegible] 2 [illegible]
[illegible] [illegible] [illegible] [illegible] 100 m
[illegible].
[illegible] [illegible] [illegible]
[illegible] 40-50 [illegible].
[illegible] [illegible] [illegible]
[illegible] [illegible]. [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]. På [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible].

1:1000

0028-0029

Japanska [illegible]

Tiel Sha

Top. prof. across, Nº 2



[illegible]

[illegible]

[illegible]





I [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] i Distriktet.

N. side of big open cut
rough sketch



31/3. Röra fångmaret pusten-
lar lägre än tidigare
rinde fet vid bran jordens
2-2.5 m af Tjärnk gölgen
län. Sedan har det en
övergång mellan de två
jordlagrena som i en del
af borrningar en jämförligt
tunga gräns mellan
dem. Här tycks prof af bäck
i vidunt lertam i övergångs-
lerna.

22/3. På fm. [illegible] och fotografering.

På em. [illegible] med Mr. T[illegible] i [illegible].

I [illegible]

[illegible]

[illegible] !!

22/3   23   Bergt in profile.   1934



Hyp. 50 m.

Endast 100 m. längre Ent
kol— vatten horisontal hvilket
visar att [illegible] i [illegible]
[illegible] [illegible]. Doch en tydlig
omböjning, ej förkastning i
[illegible].

Fr. andra [illegible] på [illegible]
[illegible] [illegible] NE 12°

Name of mine: 天源公司

Skaktets djup 100 m.

10 seams, including a coal seam from 5 feet up to 3 or 4 feet thick.

smoking coal, not coking

15 tons of Denver tod. kostar i Tsinan 130 dollars.

15 tons of Poshan coal 130 $.

Superior Poshan and Hungshan 120 $.

Sao-Yuan st. Tsao-tsp. 25 li.

[illegible]

[illegible]

[illegible]

 0040

Denna bergarts [illegible] aro
[illegible] och [illegible]
[illegible]

tär af Chang-Pai-shan.
Stupn.: ~~[illegible]~~ denna berg =
Tydligt N10°E 18 och E10°S 38°
den senare i kontakten [illegible]
och [illegible] jointing.
I bäcken ovan Lung Kuan
synes första [illegible]
[illegible] [illegible]
St N14°E 15° [illegible] ~~[illegible]~~ vid
skiffrig [illegible] st. N20°E 10°,
I bäcken nedanför Lung Kuan
[illegible]
på en lång sträcka [illegible]
[illegible] [illegible] vid
med "lerkonglomerat" på sina
skiktytor stup N22°E 14, N13°E 14°,
Wid A [illegible] i [illegible] på
[illegible] sidan af stora bäcken

[illegible]

tydligt [illegible] ~~ytan~~ [illegible]
[illegible] [illegible] SE.
N15°E22° N35°E35°, N22°E28°.
[illegible]

[illegible]
[illegible] i N. [illegible] [illegible] N°E
[illegible] [illegible] [illegible] W [illegible]
[illegible] N°E N.
[illegible]
N°E [illegible]

[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] N2[illegible]
~~[illegible]~~ Li ESE [illegible] Ming Shui
[illegible]
[illegible] [illegible] E5°N [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible]
[illegible] [illegible] [illegible]

[illegible]

S. om Wang Bai-Chuang a. s.

N22°E 130.

I denna ravinen ...

den röda leran.

Vid de många ...

N22°E 10, Nyt längre mot SW. E 40° N20.

Village: 上高庄 '20 [illegible]
Name of owner: 任 孙 義
Owner of [illegible]: 丁 昌 [illegible]
Head of family: [illegible] 歸
[illegible] genealogy [illegible]
[illegible].
[illegible] one
[illegible] 60 feet, one ? 13+ feet.

[illegible]
[illegible] measured [illegible]
[illegible] feet [illegible]
[illegible]
[illegible].
[illegible]
[illegible] N 40° E 21°.

[illegible] — [illegible]

Nosia [illegible], N 27° E [illegible],
E 70° N 14°, NE 12°.
På toppen av [illegible] bedding [illegible]
[illegible]
[illegible]
[illegible] N° [illegible]

Name of village: 長山地 (Chang [illegible])
Name of mine: 同益公司
Owner of mine: 毛 [illegible]
Owner's address: 德縣
[illegible] shaft 250 feet.
No. 6 [illegible] 236 feet [illegible] level.

I [illegible] [illegible]dalen
Altinover [illegible] N 16° E 22.
ovan denna röda och gulbruna skiff.
cirka 20 m. D[illegible] [illegible] cirka
8-10 m. med krinoid. o Trilobit +
brachiopod. (Obs [illegible]
(m. Adinorean)

0045

13	2 feet	[illegible]子煤
12	4 3 "	独[illegible]子煤
11	3 "	竹杆子煤
10	5.3	沙鐵末子煤
9	3.6 "	夹鋼子煤
8	2 "	小黄炭煤
7	7	大黄炭煤
6	17 "	窑石白青燃子煤
5	12	白炭
4	4	小尻[illegible]
3	3 "	[illegible]
2	1 "	[illegible]
1	4 "	[illegible]

[illegible]

needles 4 shaft [illegible]

[illegible]

[illegible] against [illegible] [illegible]
[illegible]

Green Turks were in large
banks of Floating ice. [illegible]
[illegible] [illegible] [illegible] large
[illegible] [illegible] of [illegible] back.

Name [illegible] : 張容庄
Name of [illegible] : 丁善[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
([illegible] 120 [illegible])
[illegible]
working

Dimage: [illegible]
Mme: [illegible]
Pelliment: [illegible]
[illegible]
2 [illegible]
[illegible]
[illegible]

3 working [illegible]

[illegible]
2. 張季彦 = S.L.S.W. fr.

[illegible]

[illegible]

mile-Stevens [illegible] i
the height of [illegible] [illegible]

[illegible]
[illegible] [illegible] [illegible]
[illegible]
[illegible] [illegible]

Hwy



wood — fir — quaking aspen
or alder wash beams,
skipping or [illegible]
grinding stone [illegible]
[illegible]

[illegible] 49 [illegible]

[illegible]

[illegible]

[illegible]

[illegible] 10 feet [illegible]
a thinner coal [illegible]
[illegible]
[illegible]
[illegible]

[illegible]

[illegible]
[illegible]
[illegible]
[illegible] volit-
struktur: [illegible]
[illegible]
([illegible])
[illegible]
[illegible]

[illegible] [illegible] [illegible] [illegible]
förut grå lös [illegible]. st. N25°V20°
sedan "[illegible]" [illegible] [illegible]
st. N8°, N[illegible]



Profil söder om järnvägen.

Strid N [illegible] järnvägen [illegible] vid
st. N[illegible]V22°, E2[illegible]V28 [illegible] lodrät

Vid P på kartan
en 11 m. sektion [illegible]
([illegible])

Lagren med [illegible] gula
[illegible] rosa [illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
rölitiske [illegible]
storlek] [illegible]
[illegible] en [illegible] och [illegible]
[illegible] [illegible] [illegible]lighet
delvis "pseudo-konglomerat".

I den [illegible] [illegible] [illegible]
medelkornig [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible]. F. N10°E 16.
[illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] N10°E [illegible]

[illegible]

Fig. 1.


Lower limestone w. chert (Brachiopoda, trilobites)
Grey sandstone w. a small coal seam (ferns, gastropods)
Upper limestone (Fusulina, crinoids etc)

0056

[illegible] W NW 25°

under L.H. N 9° E 8°. N 26° W 15°.

Millstone W 10° N 20°.

c.s N 17° W 15°

Millstone [illegible] W 20°.

Limestone W 7° S 75°

Millstone W 6° N 70


Li
10 m


Li
5 m


Min. st.
Li
W7°S 75°
W6°N7°
25 m.
stegn.

I de 8–10 meter långa
påvisningsgravarna märkes
på vissa tre kolgruvor
och
sågs på flera ställen att
man distinkta brännings-
nivåer i kolen.

1/4

~~Har~~ St. sandst. med stryken N38°E 16°.
" Vid " W40°N 40°.

Mining not yet shaft-sinking.
Village: 牧場涧靴筒地
Mine: 天源公公司
Owner: 石宝三

1st working mine

Village: 文祖鎮 劉家莊

Mine: [illegible] 公司

Owner: 李[illegible]青

Opened 1918

Has shafts, vertical. Two coal, one 110, one 124, one 126, one 153 feet. Each shaft [illegible] pumping. [illegible] from the [illegible] about 2 meters, one pump of [illegible]. Coal cutting, the width only 1½ feet. 10% [illegible]. Selling the coal to Tsinan and Tsingtao.

One day produces 1,140 baskets = 180 coolies.

15 tons at Ming Shui 85 $.

at Tsinanfu 110 $.

2nd working mine. 56

Company: 三[illegible]
Place: [illegible]
Manager: [illegible]
Opened 1919
Shafts 3 2 — 120 feet,
1 in 180 feet.
[illegible] reached [illegible] end in [illegible]
[illegible] feet [illegible].
[illegible]
[illegible]
120 t
[illegible]
[illegible] 170 t.
[illegible]

[illegible]

[illegible] 724 E 15°

2 complete eggs.

3 [illegible] earth [illegible].

Name of village where the eggs were found: 沙湾村
4 eggs found seven years ago. The found in one trench 5-6 feet deep.

Platsen en mot SSW sluttande sluttning ovanför byn



Byn ligger i en [illegible]
i grund dalsänkning [illegible]
fyndplatsen ca
15 m. över byn.
Röd lera [illegible] ovan-
liggande i de flesta
[illegible] för [illegible]
[illegible]

[illegible]

E 54° N 11°
W 24 N 45°
E 10° S 27°

7.

[illegible]

[illegible]

[illegible]

E and SE of 白穀堆 4 shafts
worked 20 years ago. 120 feet
deep. Seam said to be
9–1/2 feet!! Stopped because
of [illegible] water. Coal
said to be better than
[illegible] Tatun.

Bryn [illegible] 8 li [illegible]
[illegible] Ling Shan
[illegible]
NE 19°.

[illegible]
[illegible] 19 W. 30 feet,
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]
[illegible]

0068

[illegible]



[illegible]

vinden i strandkanten.

Fångsten.

De [illegible] [illegible], [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible], [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible].

[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]!

Ett [illegible] [illegible] [illegible]
[illegible]:

[illegible] [illegible] [illegible] 150
fot. [illegible] [illegible] 210 fot
[illegible]. [illegible] [illegible]
[illegible] [illegible].

[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible]. [illegible] [illegible] [illegible]
[illegible] [illegible]
[illegible].

97 0070

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

5/6
[illegible]

[illegible]: 坊子西旅館(下宿[illegible])
[illegible]: 中山通[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible] 25th [illegible]
[illegible] 550 [illegible]
[illegible] 5 $.

[illegible] Jap. [illegible]
[illegible]: [illegible]
Mine: [illegible]
Owners: [illegible]
a [illegible], [illegible],
[illegible] 1/5.
[illegible] 70 feet [illegible]
reached [illegible] coal.
thickness of [illegible] 20 feet [illegible].

6/4. [illegible] Tien [illegible]
St. [illegible]
[illegible]
[illegible]
[illegible] and [illegible]
[illegible] and
[illegible] ([illegible])
[illegible]
[illegible] an [illegible]
[illegible]. E.C. [illegible]
[illegible] China

[illegible]

8-10

Fossillokalen: ~~7-8~~ li S. från Tan Ho Tien.

En liten dal mellan [illegible] bergkullar. Storartade ruiner [illegible]. Skattning 30-35 m tjockt. Större delen av [illegible] består av tydligt skiktad lera med [illegible] kraftigt röd underordnade lager ~~[illegible]~~ nästan gula. På en del ställen de vanliga grusbäddarna [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible].

[illegible]

~~ligger [illegible] delbart [illegible]~~
ligger

Af bromsternas 10-11 cm = i regeln större [illegible] lika med hela. Endast 5-8 cm. [illegible] = lika med gamla ~~[illegible]~~ [illegible] grönt. [illegible]
Fjunlarten, 西康省 ligger i [illegible] vid byn. Det [illegible] [illegible] = [illegible] med [illegible] af [illegible] (tre [illegible]). [illegible] ligger i [illegible] af den [illegible] lesam. Endast 3-5 cm [illegible] Milja [illegible] [illegible]. [illegible] [illegible] den [illegible] [illegible] [illegible] grönt [illegible] [illegible].
[illegible] [illegible] [illegible] i [illegible], [illegible] i [illegible]. [illegible] [illegible] [illegible] [illegible]

är circa 1 m. omkrets.
Vid Tre Hötien på södra
sidan syns gravhögar, i
4 linier, 3 st:

På norra sidan om
banan äro stationen
4 andra högar i två
rader 2 och 2. Alla
högarna [illegible] på en [illegible]
plan sockel:

[illegible]

[illegible]
[illegible]

sida läsning

Tänkte från [illegible], [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible], [illegible] [illegible]
antydande en [illegible] lämna-
flygning skald olik=
formig [illegible] i den
af [illegible] [illegible] [illegible]. [illegible] [illegible]
Du [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]

— [illegible]
[illegible]
[illegible]
[illegible].

Pull - Times

Lungshan: 2 botes + 1 Stone

long T. Bo. Ch. short + Horse Yan

Fing Tou 6 botes T.T. Ch.

Mingshui 3 botes,
2 Yan. 1 T.T. Ch.

Mingshui Pass,
6 botes T.T. Ch.

Mingshui Station Ri ...
17 Yan 1 T.T. Ch.

T... 2 botes.


level 1
Lev 2
L 3
L4





0800



Sample

Specimen

$\frac{x}{100} = \frac{10.7}{800}$



$\frac{x}{800} = \frac{10.7}{100}$

$\frac{x}{150} = \frac{13}{100}$

13
15
65
13
195

10.7
8
85.6
70
156



0083

4 snuff boxes 105 c.
flowerde 15
4 glassbowl 105

16 p. pottery 1.70
13 p. glass 15,—
5 p pratt 0.50
5 samples of salts 0.80
Glass

2
10
33
4
0
2
2 +
3 +
10 +
0
5
1

72 | 12
72 | 6

0.01–0.02 %
bins



72